

nola®



## ZigZag Ashtray

Design Eva Herdin

The sides of the cylindrical ZigZag ashtray are perforated with a repeating pattern of zigzag shapes, reducing its weight without compromising its volume. The dynamic zigzag motif for which it is named is also a means of representing movement on two-dimensional surfaces. The ashtray can be paired with the ZigZag litterbin. Together, the two have a wide range of combination possibilities.

### CERTIFICATION



## Dimensions and weight

Height: 24 cm

Ø: 15 cm

### Ashtray

Height when attached to post: 80 cm

Weight: 2.5 kg

Weight post: 3,5 kg

### Rain cover

Overall height: 46 cm

Height above the ashtray: 22 cm

Width: 20 cm

### Individual dimensions

Sheath surface in herringbone-patterned, 1 mm electro-galvanized, chromated, polyester powder-coated steel sheet.

The anodised aluminium in the lid is 1.5 mm thick.

The perforated sheet steel in the container is 1 mm thick.

Post made of 3 mm edge-pressed sheet metal. Surface treatment like the basket.

The stainless steel in the rain cover is 3 mm thick.

## Product numbers and combinations

Ö16-68 ZigZag askkopp inkl väggfäste.

Ö16-68RT Regntak till ZigZag askkopp.

Ö16-69 Stolpe till askkopp ZigZag med fotplatta för golvmontage.

Ö16-69M Stolpe till askkopp ZigZag för fastgjutning.

Ö16-64 ZigZag papperskorg med helt lock, inkl. stolpe med fotplatta för golvmontage.

Ö16-64M ZigZag papperskorg med helt lock, inkl. stolpe för fastgjutning i mark.

Ö16-64V ZigZag papperskorg med helt lock för väggmontage.

-

Ö16-65 ZigZag papperskorg med öppet lock + askkopp inkl. stolpe med fotplatta för golvmontage.

Ö16-65M ZigZag papperskorg med öppet lock + askkopp inkl. stolpe för fastgjutning i mark.

-

Ö16-66 ZigZag papperskorg med helt lock + askkopp, inkl. stolpe med fotplatta för markmontage.

Ö16-66M ZigZag papperskorg med helt lock + askkopp, inkl. stolpe för fastgjutning i mark.

-

Ö16-67 ZigZag papperskorg med öppet lock inkl. stolpe med fotplatta för golvmontage.


Ö16-67M ZigZag papperskorg med öppet lock inkl. stolpe för fastgjutning i mark.

Ö16-67V ZigZag papperskorg med öppet lock för väggmontage.

-

Ö16-63 Betongfot, fristående. Används tillsammans med stolpe med fotplatta.

Ö16-63S/90 Stolpfäste Ø: 90 mm. För papperskorgar ZigZag och Kvadrat.

	<p>Ö16- Stolfäste Ø: 108 mm. För papperskorgar ZigZag och Kvadrat. 63S/108</p> <p>Ö16- Stolfäste Ø: 121 mm. För papperskorgar ZigZag och Kvadrat. 63S/121</p>
Standard colours	 RAL 7011
Materials and surface treatments	<p>The container is made from perforated sheet steel that is zinc-electroplated, chromed and polyester powder-coated in black RAL 9005.</p> <p>The inner container is made of stainless steel sheet.</p> <p>The rain cover is made of stainless steel.</p> <p>The base is made of cast concrete.</p> <p><b>Steel</b></p> <p>Nola uses high-quality steel with good strength in our products. Steel rusts if left untreated and must therefore be surface treated.</p> <p><b>Aluminium</b></p> <p>Aluminum is a soft light metal that is silvery to gray in color. Depending on the alloy, aluminum usually has good corrosion resistance. It is common for the aluminum to be extruded into tubes or rolled into a plate in the desired material thickness.</p> <p><b>Electrogalvanized</b></p> <p>Electrogalvanizing (also known as zinc plating) provides corrosion protection through the sacrifice of zinc ions. It is created via a zinc coating on the steel using an electric current.</p> <p><b>Powder coating</b></p> <p>Powder coating is a coating that is applied as a free-flowing, dry powder. Unlike conventional liquid paint, powder coating is usually applied electrostatically and then cured under heat or with ultraviolet light. The result is an even, hard-wearing coloured surface with the desired gloss level.</p>
Assembly and placement	Some assembly required.
Maintenance	<p><b>Powdercoated steel</b></p> <p>Products that are powder-coated can be touch-up painted with alkyd paint.</p> <p><u><a href="https://nola.se/en/care-and-maintenance">Read more in our general maintenance advice at nola.se/en/care-and-maintenance</a></u></p>
Versions	<p>ZigZag can be combined with the ZigZag litterbin or paired with a rain cover.</p> <p>ZigZag is available in a wall-mounted version or with an attachable post that fits into a freestanding concrete base or can be cast in concrete.</p>
Character	<p>The sides of this ashtray are perforated with a repeating pattern of zigzag shapes, reducing its weight without compromising the volume.</p>

## Designers

---

Eva Herdin

